The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time has features making daily cleaning tasks easier, faster and safer. VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter. Go to the specific factsheet for further information

- Empty the container without having to remove the motor head makes operation fast and easy without risk of damage to critical components
- By transferring the weight as you lift the container, the Nilfisk Ergo
  Tipping system enables you to empty a completely filled container of
  fluid without excessive effort



Picture shown may not represent model quoted

- · Easy changing of filters with the hinged motor head protects the machines and speeds up the process
- · With the dual filtration system, the VL500 can be used in both wet or dry applications without the need to change filters

#### Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 55-1 BSF 220-240V/50-60 EU	VL500 55-2 BSF 220-240V/50-60 EU	VL500 55-1 EDF 220-240V/50-60 EU
Hose Vacuum	Cleaner					
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Vac Nozzle W	/et					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1			
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
Hard Floor No	ozzle			1		
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
Crevice Nozz	e					
	CREVICE NOZZLE D40	107408850	1	•	•	•
Filter						
	CARTRIDGE FILTER	107407300	1			•
	SACK FILTER	107407304	1	•	•	
Special Filter						



	Included accessories	Ref. no.	Min. required	VL500 55-1 BSF 220-240V/50-60 EU	VL500 55-2 BSF 220-240V/50-60 EU	VL500 55-1 EDF 220-240V/50-60 EU
	WET FILTER	107407302	1			•
Tube						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
Other						
	TUBEHOLDER D40	107407335	1	•	•	•

#### Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH		
Hose Vacuum	Hose Vacuum Cleaner							
9	HOSE D40 2.5M CPL	107407336	1	•	•	•		
Vac Nozzle V	Vet							
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1			•		
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•			
Hard Floor No	ozzle							
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•		
Crevice Nozz	de							
	CREVICE NOZZLE D40	107408850	1	•	•	•		
Filter								
	CARTRIDGE FILTER	107407300	1	•	•	•		
	SACK FILTER	107407304	1					
Special Filter								
8	WET FILTER	107407302	1	•	•	•		
Tube								



Included accessories		Ref. no.	Min. required	VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH			
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•			
Other	Other								
	TUBEHOLDER D40	107407335	1	•	•	•			

#### Standard equipment

	Leaf ded conserved	Defense	Min.	VL500 55-1 BDF	VL500 55-2 BDF
	Included accessories	Ref. no.	required	220-240V/50-60 EU	220-240V/50-60 EU
Hose Vacuum	Cleaner				
9	HOSE D40 2.5M CPL	107407336	1	•	•
Vac Nozzle W	/et				
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1		
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•
Hard Floor No	ozzle				
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•
Crevice Nozzl	е				
	CREVICE NOZZLE D40	107408850	1	•	•
Filter					
	CARTRIDGE FILTER	107407300	1	•	•
	SACK FILTER	107407304	1		
Special Filter			I		
8	WET FILTER	107407302	1	•	•
Tube					
	EXTENSION TUBE D40 - SS	107407337	1	•	•
Other					
	TUBEHOLDER D40	107407335	1	•	•



The future of wet and dry vacuum cleaning			
Model	VL500 55-1 BSF 220-240V/50-60 EU	VL500 55-2 BSF 220-240V/50-60 EU	VL500 55-1 EDF 220-240V/50-60 EU
Ref. no.	107405156	107405157	107405161
PRODUCT FEATURES			
Dual power		•	
Tube holder	•	•	•
Dual filter system			•
Folding transport handle			•
Adjustable handle			•
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping			•
Model	VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH
Ref. no.	107405162	107405173	107405206
PRODUCT FEATURES			
Dual power	•	•	•
Tube holder	•	•	•
Dual filter system	•	•	•
Folding transport handle	•	•	•
Adjustable handle	•	•	•
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping	•	•	•
Model		VL500 55-1 BDF 220-240V/50-60 EU	VL500 55-2 BDF 220-240V/50-60 EU
Ref. no.		107407459	107407460
PRODUCT FEATURES			
Dual power			•
Tube holder		•	•
Dual filter system		•	•
Folding transport handle			
Adjustable handle			
Storage of accessories		•	•
Drain hose		•	•
Ergo tipping			



The future	~£~t			
100 111110	OI WA	and dry	vacimin	CIEADIDO

Technical specifications	VL500 55-1 BSF 220-240V/50-60 EU	VL500 55-2 BSF 220-240V/50-60 EU	VL500 55-1 EDF 220-240V/50-60 EU
Cable length (m)/ plug type	10/EU	10/EU	10/EU
Voltage/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
IP protection class	IP24	IP24	IP24
Rated power (W)	1350	2500	1350
Power Piec (W)	1250	2400	1250
Suction power end of tube (W)	200	200	200
Airflow (I/sec.)	48	72	48
Vacuum at nozzle (kPa)	20	21	20
Sound pressure level (dB(A) BS 5415)	64	66	64
Sound power level (dB(A) IEC 704)	82	84	82
Tank capacity (I)	55	55	55
Dust bag capacity (I)	28	28	28
Sack filter area (cm²)	1840	1840	-
Wet filter area (cm²)	-	-	1840
Cartridge filter area (cm²)	-	-	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (mm)	840x620x1000	840x620x1000	660x620x890
Weight (kg)	23.5	24.5	26.5
Technical specifications	VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH
Technical specifications  Cable length (m)/ plug type	VL500 55-2 EDF 220-240V/50-60 EU 10/EU		VL500 55-2 EDF 230V/50 CH 10/CH
	220-240V/50-60 EU	220-240V/50 UK	230V/50 CH
Cable length (m)/ plug type	220-240V/50-60 EU 10/EU	220-240V/50 UK 10/UK	230V/50 CH 10/CH
Cable length (m)/ plug type Voltage/frequency (V/Hz)	220-240V/50-60 EU 10/EU 220-240/50-60	220-240V/50 UK 10/UK 220-240/50-60	230V/50 CH 10/CH 220-240/50-60
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class	220-240V/50-60 EU 10/EU 220-240/50-60 IP24	220-240V/50 UK 10/UK 220-240/50-60 IP24	230V/50 CH 10/CH 220-240/50-60 IP24
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500	230V/50 CH 10/CH 220-240/50-60 IP24 2500
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)  Vacuum at nozzle (kPa)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72 21	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72 21	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200 72 21
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)  Vacuum at nozzle (kPa)  Sound pressure level (dB(A) BS 5415)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72 21 66	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72 21 66	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200 72 21 66
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)  Vacuum at nozzle (kPa)  Sound pressure level (dB(A) BS 5415)  Sound power level (dB(A) IEC 704)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72 21 66 84	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72 21 66 84	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200 72 21 66 84
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)  Vacuum at nozzle (kPa)  Sound pressure level (dB(A) BS 5415)  Sound power level (dB(A) IEC 704)  Tank capacity (I)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)  Vacuum at nozzle (kPa)  Sound pressure level (dB(A) BS 5415)  Sound power level (dB(A) IEC 704)  Tank capacity (I)  Dust bag capacity (I)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55 28	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55 28	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55 28
Cable length (m)/ plug type  Voltage/frequency (V/Hz)  IP protection class  Rated power (W)  Power Piec (W)  Suction power end of tube (W)  Airflow (I/sec.)  Vacuum at nozzle (kPa)  Sound pressure level (dB(A) BS 5415)  Sound power level (dB(A) IEC 704)  Tank capacity (I)  Dust bag capacity (I)  Sack filter area (cm²)	220-240V/50-60 EU 10/EU 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55 28	220-240V/50 UK 10/UK 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55 28	230V/50 CH 10/CH 220-240/50-60 IP24 2500 2400 200 72 21 66 84 55 28 -



Technical specifications	VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH
Inlet (mm)	40	40	40
Length x width x height (mm)	660x620x890	660x620x890	660x620x890
Weight (kg)	27.5	27.5	27.5
Technical specifications		VL500 55-1 BDF 220-240V/50-60 EU	VL500 55-2 BDF 220-240V/50-60 EU
Cable length (m)/ plug type		10/EU	10/EU
Voltage/frequency (V/Hz)		220-240/50-60	220-240/50-60
IP protection class		IP24	IP24
Rated power (W)		1350	2500
Power Piec (W)		1250	2400
Suction power end of tube (W)		200	200
Airflow (I/sec.)		48	72
Vacuum at nozzle (kPa)		20	21
Sound pressure level (dB(A) BS 5415)		64	66
Sound power level (dB(A) IEC 704)		82	84
Tank capacity (I)		55	55
Dust bag capacity (I)		28	28
Sack filter area (cm²)		-	-
Wet filter area (cm²)		1840	1840
Cartridge filter area (cm²)		4410	4410
Hose length (m)		2.5	2.5
Inlet (mm)		40	40
Length x width x height (mm)		840x620x1000	840x620x1000
Weight (kg)		24.5	25.5

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	VL500 55-1 BSF 220-240V/50-60 EU	VL500 55-2 BSF 220-240V/50-60 EU	VL500 55-1 EDF 220-240V/50-60 EU
System 50 Ho	ose Vacuum Cleaner					
	HOSE CONNECTION Ø50 PVC	6330	0	0	0	0
	HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	0	0	0
	SLEEVE CPL - VACUUM SIDE - D50/D50	15101	0	0	0	0
Squeegee, Bl	ade, Skirt and Splash Guard					
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	0	0	0
Filter Bag						



	Accessories	Ref. no.	Min. required	VL500 55-1 BSF 220-240V/50-60 EU	VL500 55-2 BSF 220-240V/50-60 EU	VL500 55-1 EDF 220-240V/50-60 EU
Fee. 5	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0	0
Filter						
	CARTRIDGE FILTER	107407300	1	0	0	•
	HEPA CARTRIDGE FILTER	107409007	1	0	0	0
	SACK FILTER	107407304	1	•	•	0
Special Filter						
0	WET FILTER	107407302	1	0	0	•
Other		<u>'</u>				
	TUBEHOLDER D40	107407335	1	•	•	•
Hose Vacuun	n Cleaner					
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Tube						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
Vac Nozzle V	Vet					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	0	0	0
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
Hard Floor No	ozzle					
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
Crevice Nozz	le					
	CREVICE NOZZLE D40	107408850	1	•	•	•



 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH
System 50 H	ose Vacuum Cleaner					
	HOSE CONNECTION Ø50 PVC	6330	0	0	0	0
	HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	0	0	0
	SLEEVE CPL - VACUUM SIDE - D50/D50	15101	0	0	0	0
Squeegee, B	lade, Skirt and Splash Guard	'				
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	0	0	0
Filter Bag						
Freis.	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0	0
Filter						
	CARTRIDGE FILTER	107407300	1	•	•	•
	HEPA CARTRIDGE FILTER	107409007	1	0	0	0
	SACK FILTER	107407304	1	0	0	0
Special Filter						
9	WET FILTER	107407302	1	•	•	•
Other						
	TUBEHOLDER D40	107407335	1	•	•	•
Hose Vacuur	m Cleaner					
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Tube						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
Vac Nozzle V	Vet					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	0	0	•
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	
Hard Floor N	ozzie					
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•



Accessories	Ref. no. Min. required		VL500 55-2 EDF 220-240V/50-60 EU	VL500 55-2 EDF 220-240V/50 UK	VL500 55-2 EDF 230V/50 CH			
Crevice Nozzle								
CREVICE NOZZLE D40	107408850	1	•	•	•			

•	Standard equipment.	0	Supplementan	, accessories	П	Mountable equipment
•	Standard eduloment.	$\sim$	Supplementar	/ accessories.		Mountable equipment

Standard equipment	$\Box$ Supplementary accessories, $\Box$ Mountable equipment				
Accessories		Ref. no.	Min. required	VL500 55-1 BDF 220-240V/50-60 EU	VL500 55-2 BDF 220-240V/50-60 EU
System 50 H	ose Vacuum Cleaner	'	'		
	HOSE CONNECTION Ø50 PVC	6330	0	0	0
	HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	0	0
	SLEEVE CPL - VACUUM SIDE - D50/D50	15101	0	0	0
Squeegee, B	lade, Skirt and Splash Guard	<u>'</u>	'		
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	0	0
Filter Bag					
Frei.S	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0
Filter				1	
	CARTRIDGE FILTER	107407300	1	•	•
	HEPA CARTRIDGE FILTER	107409007	1	0	0
	SACK FILTER	107407304	1	0	0
Special Filter					
5	WET FILTER	107407302	1	•	•
Other					
	TUBEHOLDER D40	107407335	1	•	•
Hose Vacuur	n Cleaner				
9	HOSE D40 2.5M CPL	107407336	1	•	•
Tube					
	EXTENSION TUBE D40 - SS	107407337	1	•	•
Vac Nozzle V	Vet				



Accessories			Min. required	VL500 55-1 BDF 220-240V/50-60 EU	VL500 55-2 BDF 220-240V/50-60 EU	
1	FLOOR NOZZLE D40 RUBBER STRIP		1	0	0	
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	
Hard Floor Nozzle						
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	
Crevice Nozzle						
	CREVICE NOZZLE D40	107408850	1	•	•	

